

AMENDMENTS TO THE CLAIMS

Claims Pending:

- At time of the Action: Claims 1-45
- Amended Claims: Claims 1, 6, 10-13, 18, 22, 25, 30, 33-36, 40, and 43-45
- After this Response: Claims 1-45

The following listing of claims replaces all prior versions and listings of claims in the application.

1. (Currently Amended) A method for verifying relevance between terms and Web site contents, the method comprising:

retrieving site contents from a bid URL;

formulating expanded term(s) comprising at least one of semantically and/or contextually related to bid term(s), which are mined from a search engine in view of high-frequency of occurrence historical query terms;

generating content similarity and expanded similarity measurements from respective combinations of the bid term(s), the site contents, and the expanded terms, wherein the similarity measurements ~~indicating~~ indicate relatedness between respective ones of the bid term(s), site contents, ~~and/or~~ expanded terms;

calculating category similarity measurements between the expanded terms and the site contents in view of a similarity classifier, wherein the similarity classifier ~~having~~ has been trained from mined web site content associated with directory data;

calculating a confidence value from combined ones of multiple similarity measurements, wherein the combined ones ~~comprising~~ comprise content, expanded, and

category similarity measurements, wherein the confidence value ~~providing~~ provides an objective measure of relevance between the bid term(s) and the site contents;

analyzing the confidence value to identify the bid term(s); and

using the bid term(s) identified to increase traffic to a site to obtain site exposure.

2. (Original) A method as recited in claim 1, wherein the similarity classifier is based on a statistical n-gram based naïve Bayesian (N-Gram), a naïve Bayesian (NB), support vector machine (SVM), a nearest neighbor (KNN), a decision tree, a co-training, or a boosting classification model.

3. (Original) A method as recited in claim 1, wherein formulating the expanded terms further comprises generating term clusters from term vectors based on calculated term similarity, the term vectors being generated from historical queries, each historical query having a high frequency of occurrence, the term clusters comprising the expanded terms.

4. (Original) A method as recited in claim 1, wherein generating the content similarity measurements further comprise generating respective term vectors from the bid term(s) and the site contents, and calculating similarity between the respective term vectors to determine direct similarity between the bid term(s) and the site contents.

5. (Original) A method as recited in claim 1, wherein generating the expanded similarity measurements further comprises:

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors to determine the expanded similarity measurements between the bid term(s) and the site contents.

6. (Currently Amended) A method as recited in claim 1, wherein generating the category similarity measurements further comprises:

extracting features from Web site content associated with the directory data, the features comprising ~~a combination of~~ at least one of title, metadata, body, hypertext link(s), visual feature(s), and/or summarization by page layout analysis information;

reducing dimensionality of the features via feature selection;

categorizing the features via a classifier model to generate the similarity classifier;

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors as a function of the similarity classifier to determine the category similarity measurements.

7. (Original) A method as recited in claim 1, wherein calculating the confidence value further comprises:

training a combined relevance classifier with data of the form <term(s), Web site content, accept/reject> in view of an accept/reject threshold;

generating relevance verification similarity measurement (RSVM) feature vectors from the content, expanded, and category similarity measurements; and

mapping multiple scores from the RSVM feature vectors to the confidence value via the combined relevance classifier.

8. (Original) A method as recited in claim 1, wherein the method further comprises:

 caching the bid term(s) and bid URL into a bidding database;

 responsive to receipt of an search query, determining if terms of the search query are relevant to the bid term(s) in view of a possibility that the terms of the search query may not exactly match the bid term(s); and

 if the term(s) of search query are determined to be relevant to the bid term(s), communicating the bid URL to the end-user.

9. (Original) A method as recited in claim 1, wherein the method further comprises:

 determining proper name similarity measurements from the bid term(s) and site contents, the proper name similarity measurements indicating relatedness between any proper name(s) detected in the bid term(s) and the site contents in view a set of proper names; and

 wherein the combined ones of multiple similarity measurements comprise the proper name similarity measurements.

10. (Currently Amended) A method as recited in claim 9, wherein determining the proper name similarity measurements further comprises:

responsive to detecting a proper name comprising at least one of ~~in~~ the bid term(s) and/or the site contents, calculating a proper name similarity score as:

Prop_Sim(term, site contents),

wherein Prop_Sim(term, site contents) equals: one (1) when a term contains a proper name P, and site contents contains a conformable proper name Q; zero (0) when a term contains a proper name P, and site contents contains only unconformable proper name(s); or, zero-point-five (0.5).

11. (Currently Amended) A method as recited in claim 1, wherein the method further comprises:

determining that the confidence value is relatively low; and

responsive to the determining, identifying one or more other terms ~~that are~~ comprising at least one of semantically and/or contextually related to the bid URL.

12. (Currently Amended) A method as recited in claim 11, wherein identifying further comprises:

generating a set of term clusters from term vectors based on calculated term similarity, the term vectors being generated from search engine results of submitted historical queries, each historical query having a relatively low frequency of occurrence as compared to other query terms in a query log; and

evaluating the site contents in view of term(s) specified by the term clusters to identify at least one or more semantically and/or contextually related terms, the terms being the one or more other terms.

13. (Currently Amended) A computer-readable medium comprising computer-executable instructions for verifying relevance between terms and Web site contents, the computer-executable instructions comprising instructions for:

retrieving site contents from a bid URL;

formulating expanded term(s) comprising at least one of semantically and/or contextually related to bid term(s), which are mined from a search engine in view of high-frequency of occurrence historical query terms;

generating content similarity and expanded similarity measurements from respective combinations of the bid term(s), the site contents, and the expanded terms, wherein the similarity measurements indicating indicate relatedness between respective ones of the bid term(s), site contents, and/or expanded terms;

calculating category similarity measurements between the expanded terms and the site contents in view of a similarity classifier, wherein the similarity classifier having has been trained from mined web site content associated with directory data;

calculating a confidence value from combined ones of multiple similarity measurements, wherein the combined ones comprising comprise content, expanded, and category similarity measurements; ~~the confidence value~~

providing an objective measure of relevance between the bid term(s) and the site contents as indicated by the confidence value;

analyzing the confidence value to identify the bid term(s); and

using the bid term(s) identified to increase traffic to a site to obtain site exposure.

14. (Original) A computer-readable medium as recited in claim 13, wherein the similarity classifier is based on a statistical n-gram based naïve Bayesian (N-Gram), a naïve Bayesian (NB), support vector machine (SVM), a nearest neighbor (KNN), a decision tree, a co-training, or a boosting classification model.

15. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions for formulating the expanded terms further comprise instructions for generating term clusters from term vectors based on calculated term similarity, the term vectors being generated from historical queries, each historical query having a high frequency of occurrence, the term clusters comprising the expanded terms.

16. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions for generating the content similarity measurements further comprise instructions for generating respective term vectors from the bid term(s) and the site contents, and calculating similarity between the respective term vectors to determine direct similarity between the bid term(s) and the site contents.

17. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions for generating the expanded similarity measurements further comprise instructions for:

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors to determine the expanded similarity measurements between the bid term(s) and the site contents.

18. (Currently Amended) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions for generating the category similarity measurements further comprise instructions for:

extracting features from Web site content associated with the directory data, the features comprising a combination at least one of title, metadata, body, hypertext link(s), visual feature(s), and/or summarization by page layout analysis information;

reducing dimensionality of the features via feature selection;

categorizing the features via a classifier model to generate the similarity classifier;

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors as a function of the similarity classifier to determine the category similarity measurements.

19. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions for calculating the confidence value further comprise instructions for:

training a combined relevance classifier with data of the form <term(s), Web site content, accept/reject> in view of an accept/reject threshold;

generating relevance verification similarity measurement (RSVM) feature vectors from the content, expanded, and category similarity measurements; and

mapping multiple scores from the RSVM feature vectors to the confidence value via the combined relevance classifier.

20. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions further comprise instructions for:

caching the bid term(s) and bid URL into a bidding database;

responsive to receipt of an search query, determining if terms of the search query are relevant to the bid term(s) in view of a possibility that the terms of the search query may not exactly match the bid term(s); and

if the term(s) of search query are determined to be relevant to the bid term(s), communicating the bid URL to the end-user.

21. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions further comprise instructions for:

determining proper name similarity measurements from the bid term(s) and site contents, the proper name similarity measurements indicating relatedness between any proper name(s) detected in the bid term(s) and the site contents in view a set of proper names; and

wherein the combined ones of multiple similarity measurements comprise the proper name similarity measurements.

22. (Currently Amended) A computer-readable medium as recited in claim 21, wherein the computer-executable instructions for determining the proper name similarity measurements further comprise instructions for:

responsive to detecting a proper name comprising at least one of in the bid term(s) and/or the site contents, calculating a proper name similarity score as:

$\text{Prop_Sim}(\text{term}, \text{site contents})$ and

wherein $\text{Prop_Sim}(\text{term}, \text{site contents})$ equals: one (1) when a term contains a proper name P, and site contents contains a conformable proper name Q; zero (0) when a term contains a proper name P, and site contents contains only unconformable proper name(s); or, zero-point-five (0.5).

23. (Original) A computer-readable medium as recited in claim 13, wherein the computer-executable instructions further comprise instructions for:

determining that the confidence value is relatively low; and

responsive to the determining, identifying one or more other terms that are semantically and/or contextually related to the bid URL.

24. (Original) A computer-readable medium as recited in claim 23, wherein the computer-executable instructions for identifying further comprise instructions for:

generating a set of term clusters from term vectors based on calculated term similarity, the term vectors being generated from search engine results of submitted

historical queries, each historical query having a relatively low frequency of occurrence as compared to other query terms in a query log; and

evaluating the site contents in view of term(s) specified by the term clusters to identify one or more semantically and/or contextually related terms, the terms being the one or more other terms.

25. (Currently Amended) A computing device for verifying relevance between terms and Web site contents, the computing device comprising:

a processor; and

a memory coupled to the processor, the memory comprising computer-program instructions executable by the processor for:

retrieving site contents from a bid URL;

formulating expanded term(s) comprising at least one of semantically and/or contextually related to bid term(s),

generating content similarity and expanded similarity measurements from respective combinations of the bid term(s), the site contents, and the expanded terms, wherein the similarity measurements ~~indicating~~ indicate relatedness between respective ones of the bid term(s), site contents, and/or expanded terms;

calculating a confidence value from combined ones of multiple similarity measurements, wherein the combined ones ~~comprising~~ comprise content, expanded, and category similarity measurements; ~~the confidence value~~

providing an objective measure of relevance between the bid term(s) and the site contents as indicated by the confidence value;

analyzing the confidence value to identify the bid term(s); and
using the bid term(s) identified to increase traffic to a site to obtain site exposure.

26. (Original) A computing device as recited in claim 25, wherein the similarity classifier is based on a statistical n-gram based naïve Bayesian (N-Gram), a naïve Bayesian (NB), support vector machine (SVM), a nearest neighbor (KNN), a decision tree, a co-training, or a boosting classification model.

27. (Original) A computing device as recited in claim 25, wherein the computer-executable instructions for formulating the expanded terms further comprise instructions for generating term clusters from term vectors based on calculated term similarity, the term vectors being generated from historical queries, each historical query having a high frequency of occurrence, the term clusters comprising the expanded terms.

28. (Original) A computing device as recited in claim 25, wherein the computer-executable instructions for generating the content similarity measurements further comprise instructions for generating respective term vectors from the bid term(s) and the site contents, and calculating similarity between the respective term vectors to determine direct similarity between the bid term(s) and the site contents.

29. (Original) A computing device as recited in claim 25, wherein the computer-executable instructions for generating the expanded similarity measurements further comprise instructions for:

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors to determine the expanded similarity measurements between the bid term(s) and the site contents.

30. (Currently Amended) A computing device as recited in claim 25, wherein the computer-executable instructions for generating the category similarity measurements further comprise instructions for:

extracting features from Web site content associated with the directory data, the features comprising a combination of at least one of title, metadata, body, hypertext link(s), visual feature(s), and/or summarization by page layout analysis information;

reducing dimensionality of the features via feature selection;

categorizing the features via a classifier model to generate the similarity classifier;

generating respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating similarity between the respective term vectors as a function of the similarity classifier to determine the category similarity measurements.

31. (Original) A computing device as recited in claim 25, wherein the computer-executable instructions for calculating the confidence value further comprise instructions for:

training a combined relevance classifier with data of the form <term(s), Web site content, accept/reject> in view of an accept/reject threshold;

generating relevance verification similarity measurement (RSVM) feature vectors from the content, expanded, and category similarity measurements; and

mapping multiple scores from the RSVM feature vectors to the confidence value via the combined relevance classifier.

32. (Original) A computing device as recited in claim 25, wherein the computer-executable instructions further comprise instructions for:

determining proper name similarity measurements from the bid term(s) and site contents, the proper name similarity measurements indicating relatedness between any proper name(s) detected in the bid term(s) and the site contents in view a set of proper names; and

wherein the combined ones of multiple similarity measurements comprise the proper name similarity measurements.

33. (Currently Amended) A computing device as recited in claim 32, wherein the computer-executable instructions for determining the proper name similarity measurements further comprise instructions for:

responsive to detecting a proper name comprising at least one of ~~in~~ the bid term(s) and/or the site contents, calculating a proper name similarity score as:

$\text{Prop_Sim}(\text{term}, \text{site contents})$ and

wherein $\text{Prop_Sim}(\text{term}, \text{site contents})$ equals: one (1) when a term contains a proper name P, and site contents contains a conformable proper name Q; zero (0) when a term

contains a proper name P, and site contents contains only unconfornable proper name(s); or, zero-point-five (0.5).

34. (Currently Amended) A computing device as recited in claim 25, wherein the computer-executable instructions further comprise instructions for:

determining that the confidence value is relatively low; and

responsive to the determining, identifying one or more other terms ~~that are~~ comprising at least one of semantically and/or contextually related to the bid URL.

35. (Currently Amended) A computing device as recited in claim 34, wherein the computer-executable instructions for identifying further comprise instructions for:

generating a set of term clusters from term vectors based on calculated term similarity, the term vectors being generated from search engine results of submitted historical queries, each historical query having a relatively low frequency of occurrence as compared to other query terms in a query log; and

evaluating the site contents in view of term(s) specified by the term clusters to identify at least one or more semantically and/or contextually related terms, the terms being the one or more other terms.

36. (Currently Amended) A computing device for verifying relevance between terms and Web site contents, the computing device comprising:

retrieving means to obtain site contents from a bid URL;

formulating means to identify expanded term(s) comprising at least one of semantically and/or contextually related to bid term(s),

generating means to create content similarity and expanded similarity measurements from respective combinations of the bid term(s), the site contents, and the expanded terms, wherein the similarity measurements ~~indicating~~ indicate relatedness between respective ones of the bid term(s), site contents, and/or expanded terms;

calculating means to determine category similarity measurements between the expanded terms and the site contents in view of a similarity classifier, wherein the similarity classifier ~~having~~ has been trained from mined web site content associated with directory data;

calculating means to generate a confidence value from combined ones of multiple similarity measurements, wherein the combined ones ~~comprising~~ comprise content, expanded, and category similarity measurements, wherein the confidence value ~~providing~~ provides an objective measure of relevance between the bid term(s) and the site contents;

analyzing means to analyze the confidence value to identify the bid term(s); and

increasing means to increase traffic to a site by using the bid term(s) identified.

37. (Original) A computing device as recited in claim 36, wherein the computer formulating means further comprise generating means to create term clusters from term vectors based on calculated term similarity, the term vectors being generated from historical queries, each historical query having a high frequency of occurrence, the term clusters comprising the expanded terms.

38. (Original) A computing device as recited in claim 36, wherein the generating means further comprise creating means to generate respective term vectors from the bid term(s) and the site contents, and calculating similarity between the respective term vectors to determine direct similarity between the bid term(s) and the site contents.

39. (Original) A computing device as recited in claim 36, wherein the generating means further comprise:

creating means to generate respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating means to determine similarity between the respective term vectors to determine the expanded similarity measurements between the bid term(s) and the site contents.

40. (Currently Amended) A computing device as recited in claim 36, wherein the generating means further comprise:

extracting means to obtain features from Web site content associated with the directory data, the features comprising a combination of at least one of title, metadata, body, hypertext link(s), visual feature(s), and/or summarization by page layout analysis information;

reducing means to lessen dimensionality of the features via feature selection;

categorizing means to organize the features via a classifier model to generate the similarity classifier;

generating means to create respective term vectors from the bid term(s), the site contents, and the expanded terms; and

calculating means to identify similarity between the respective term vectors as a function of the similarity classifier to determine the category similarity measurements.

41. (Original) A computing device as recited in claim 36, wherein the calculating means further comprise:

training means to train a combined relevance classifier with data of the form <term(s), Web site content, accept/reject> in view of an accept/reject threshold;

generating means to generate relevance verification similarity measurement (RSVM) feature vectors from the content, expanded, and category similarity measurements; and

mapping means to correlate multiple scores from the RSVM feature vectors to the confidence value via the combined relevance classifier.

42. (Original) A computing device as recited in claim 36, wherein the computing device further comprises:

determining means to determine proper name similarity measurements from the bid term(s) and site contents, the proper name similarity measurements indicating relatedness between any proper name(s) detected in the bid term(s) and the site contents in view a set of proper names; and

wherein the combined ones of multiple similarity measurements comprise the proper name similarity measurements.

43. (Currently Amended) A computing device as recited in claim 42, wherein the determining means to determine the proper name similarity measurements further comprise responsive to detecting a proper name comprising at least one of ~~in~~ the bid term(s) ~~and/or~~ the site contents, calculating means to calculate a proper name similarity score.

44. (Currently Amended) A computing device as recited in claim 36, wherein the computing device further comprises:

determining means to determine that the confidence value is relatively low; and
responsive to the determining, identifying means to identify one or more other terms ~~that are~~ comprising at least one of semantically ~~and/or~~ contextually related to the bid URL.

45. (Currently Amended) A computing device as recited in 44, wherein the identifying means further comprise:

generating means to generate a set of term clusters from term vectors based on calculated term similarity, the term vectors being generated from search engine results of submitted historical queries, each historical query having a relatively low frequency of occurrence as compared to other query terms in a query log; and

evaluating means to evaluate the site contents in view of term(s) specified by the term clusters to identify at least one or more semantically ~~and/or~~ contextually related terms, the terms being the one or more other terms.